## **EAST Search History**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11	(synchron\$4 adj3 network) and (clock adj3 synchron\$4 adj3 system) and (phase adj3 difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 13:13
<b>S</b> 2	2	(synchron\$4 adj3 network) and (clock adj3 synchron\$4 adj3 system) and (clock adj3 phase adj3 difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 10:54
S3	8	S1 and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 10:52
S4	156443	ATM or (Asynchron\$4 adj Transmissiom Method) and (clock adj3 synchron \$4 adj3 system) and (phase adj3 difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 13:15
<b>S</b> 5	144	(ATM or (Asynchron\$4 adj Transmissiom Method)) and (clock adj3 synchron \$4 adj3 system) and (phase adj3 difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 15:51
S6	37	(ATM or (Asynchron\$4 adj Transmissiom Method)) and (clock adj3 synchron \$4 adj3 system) and (clock adj3 phase adj3 difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 15:11
S7	19	S6 and @ad< "20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 15:55
<b>S</b> 8	6	(ATM or (Asynchron\$4 adj Transmissiom adj mode)) and (clock adj3 synchron \$4 adj3 system) and (phase adj3 difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 15:46

S9	156305	ATM or (Asynchronous adj transfer adj mode) near4 plurality adj3 (nodes or modules)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 09:45
S10	60	S9 and (clock adj3 synchron\$4 adj3 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 15:53
S11	6	S10 and (phase adj3 difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 15:55
S12	39	S10 and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 15:56
S13	3	S12 and (phase near4 difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 15:55
S24	1683	(synchronous adj4 data adj4 transmiss\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 10:05
S25	7	(clock adj3 phase adj3 correct\$3 adj4 (system or appratus))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 10:43
S40	1167	S24 and @ad< "20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 10:52

S41	8	"I0" and (clock adj3 synchron\$4 adj3 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 10:54
S42	2	"5,062,124".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/16 15:11
S43	0	((node or device or module) near6 ((determin \$3 or claulat\$3 or comput \$3) near6 input with output phase difference))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 14:53
S44	487	((node or device or module) near6 ((determin \$3 or claulat\$3 or comput \$3) near6 phase difference))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 14:53
S45	260	S44 and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 14:54
S46	5	S45 and ((accumulat\$3 or sum\$4 or collect\$3) near6 phase difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 14:56
S47	65831	data network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 15:21
S48	29750	S47 and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 15:22

S49	59	S48 and ((node or device or module) with local clock)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 15:25
S50	0	S49 and ((accumulat\$3 or sum\$4 or collect\$3) near6 phase difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 15:26
S51	0	S49 and ((accumulat\$3 or sum\$4 or collect\$3 or measur\$3 or comput\$3) near6 phase difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 15:28
S52	10683	((accumulat\$3 or sum\$4 or collect\$3 or measur\$3 or comput\$3) near6 phase difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 15:29
S53	6883	S52 and @ad< "20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 15:30
S54	51	S53 and (node with clock)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 15:30
S55	416	S53 and ((node or device or module) with clock)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 15:31
S56	17	S55 and ((transmit\$4 or send\$3 or forward\$3) near6 phase difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 15:34

S57	0	((measur\$3 or comput\$3 or determin\$3 or calculat \$3) near6 phase difference with input clock near8 output clock)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 16:05
S58	150	((node or device or module) same ((measur\$3 or comput\$3 or determin \$3 or calculat\$3) near6 phase difference) with (input near6 output))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 16:10
S59	61	S58 and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 16:11
S60	0	S59 and ((collect\$3 or accumulat\$3 or gather\$3) near6 phase difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 16:42
S61	3	S58 and ((collect\$3 or accumulat\$3 or gather\$3) near6 phase difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 16:42
S62	149	((node or device or module) same ((measur\$3 or comput\$3 or determin \$3 or calculat\$3) near12 phase difference) with (input near6 output))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 16:45
S63	135	((node or device or module) same ((measur\$3 or comput\$3 or determin \$3 or calculat\$3) near3 phase difference) with (input near6 output))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 16:46
S64	152	((node or device or module) same ((measur\$3 or comput\$3 or determin \$3 or calculat\$3) near9 phase difference) with (input near6 output))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 16:46

S65	3	S64 and ((collect\$3 or accumulat\$3 or gather\$3) near6 phase difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 16:47
S66	470	((node or device or module) and ((measur\$3 or comput\$3 or determin \$3 or calculat\$3) near6 phase difference) with (input near6 output))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 16:48
S67	241	S66 and @ad< "20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 16:49
S68	3	S67 and ((collect\$3 or accumulat\$3 or gather\$3) near6 phase difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 16:49
S69	1	\$67 and (((collect\$3 or accumulat\$3 or gather\$3) near6 phase difference) same (send\$3 or forward \$3 or transmi\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 17:07
S70	2	"5062124".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/25 17:15
S71	4	("3311702"   "3804992"   "3862365").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/25 17:15
S72	9	("3311702").URPN.	USPAT	OR	OFF	2008/04/25 17:23
S73	20	("5062124").URPN.	USPAT	OR	OFF	2008/04/25 17:24
S74	10	("2002/0051509").URPN.	USPAT	OR	OFF	2008/04/26 23:35
S75	12251	(output near6 (phase near3 lock\$5)) and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 15:20

S76	4495	(output near6 (phase near3 lock\$5)) and (phase near3 difference) and @ad< "20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 15:22
S77	1295	(output near6 (phase near3 lock\$5)) and (phase near3 difference) and (input near3 clock) and (output near3 clock) and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 15:23
S78	65	(output near6 (phase near3 lock\$5)) and ((transmit\$5 or send\$5) near8 phase near3 difference) and (input near3 clock) and (output near3 clock) and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 15:25
S79	29	(output near6 (phase near3 lock\$5)) and ((transmit\$5 or send\$5) near8 phase near3 difference) and (input near3 clock) and (output near3 clock) and communicat\$5 near3 system and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 15:31
S80	17	(output near6 (phase near3 lock\$5)) and ((transmit\$5 or send\$5) near8 phase near3 difference) and (source and destinat\$5) and (input near3 clock) and (output near3 clock) and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 15:38
S81	2	"5640388".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/13 19:48
S82	2	"5790608".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/13 19:58

\$83	72	((summ\$4 or accumulat\$4 or gather\$4) near5 (phase near2 difference)) and ("370"/\$.ccls. or 375/356,371,373.ccls.) and @ad< "20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/13 20:24
S84	61	((summ\$4 or accumulat\$4 or gather\$4) near5 (phase near2 difference)) and synchron\$7 and ("370"/\$. ccls. or 375/356,371,373. ccls.) and @ad< "20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/13 20:25
S85	55	((summ\$4 or accumulat\$4 or gather\$4) near5 (phase near2 difference)) and synchron\$7 and clock and ("370"/\$.ccls. or 375/356,371,373.ccls.) and @ad< "20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/13 20:25
S86	18	((summ\$4 or accumulat\$4 or gather\$4) near5 (phase near2 difference)) same synchron\$7 and clock and ("370"/\$.ccls. or 375/356,371,373.ccls.) and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/13 20:26
S87	16	((summ\$4 or accumulat\$4 or gather\$4) near3 (phase near2 difference)) same synchron\$7 and clock and ("370"/\$.ccls. or 375/356,371,373.ccls.) and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/13 20:26
S88	16	or gather\$4) near3 (phase near2 difference)) and synchron\$7 and ((source or transmi\$3 or send\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/13 20:36

S89	17	((summ\$4 or accumulat\$4 or gather\$4) near3 (phase near2 difference)) and ((source or transmi\$3 or send\$3) near3 clock) and ((destinat\$3 or sink or receiv\$4) near3 clock) and ("370"/\$.ccls. or 375/356,371,373.ccls.) and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/13 20:38
S90	11	((summ\$4 or accumulat\$4 or gather\$4) near3 (phase near2 difference)) and ((transmit\$4 or send\$4 or forward\$4) near4 (phase near2 difference)) and (destinat\$3 or sink or receiv\$4 or terminal) and ("370"/\$.ccls. or 375/356,371,373.ccls.) and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 09:03
S91	3	((summ\$4 or accumulat\$4 or gather\$4) near3 (phase near2 difference)) same ((transmit\$4 or send\$4 or forward\$4) near4 (phase near2 difference)) and ("370"/\$.ccls. or 375/356,371,373.ccls.) and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 09:14
S92	11	((summ\$4 or accumulat\$4 or gather\$4) near3 (phase near2 difference)) and ((transmit\$4 or send\$4 or forward\$4) near4 (phase near2 difference)) and ("370"/\$.ccls. or 375/356,371,373.ccls.) and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 09:17
S93	2	((transmit\$4 or send\$4 or forward\$4) near8 ((summ \$4 or accumulat\$4 or gather\$4) near3 (phase near2 difference))) and ("370"/\$.ccls. or 375/356,371,373.ccls.) and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 09:19
S94	53	((summ\$4 or accumulat\$4 or gather\$4) near3 (phase near2 difference)) and ("370"/\$.ccls. or 375/356,371,373.ccls.) and @ad<"20020411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 09:20

S95	40	((summ\$4 or accumulat\$4	US-PGPUB;	OR	OFF	2009/05/14
		or gather\$4) near2 (phase	USPAT;			09:21
		near2 difference)) and	USOCR; FPRS;			
		("370"/\$.ccls. or	EPO; JPO;			
		375/356,371,373.ccls.)	DERWENT;			
		and @ad<"20020411"	IBM_TDB			

5/19/2009 7:41:52 PM

C:\ Documents and Settings\ sbokhari\ My Documents\ EAST\ Workspaces\ 10510406.wsp